



TPU-LINE TACTILE SURFACE GUIDING LINES



TPU - LINE

Individual tactile surface guiding lines from polyurethane mass

Product description

Individual tactile surface guiding lines in shape of a strip /rib/ are made from high performance polyurethanes with better resistance to acids, solvents, ozone and oxidation. They are also characterized by: good ability to slow the spread of fire, good abrasion resistance, excellent resistance to weathering, ozone, sunlight and oxidation, excellent resistance to alcohols, alkalis and acids, very good colour fastness.

Tactile warning studs are made in three versions:

- with pin, - without pin, - self-adhesive

The system has already proved good in banks, universities, stairways, entrance areas, etc.







PURPOSE OF USE

TPU-LINE

Tactile surface guiding lines /tactile guiding strips/ with a design of longitudinal projections in shape of ribs in a colour contrasting with the colour of the surrounding surface and functional arrangement of the longitudinal strips /ribs/ on the ground provide directional guidance.

Tactile surface guiding lines allow you to build guidance on the ground that is recognizable by feet and white cane and can be also detected visually.


Tactile surface guiding lines help blind and visually impaired people to find their way with help of a longitudinal design. Tactile surface guiding lines enable blind and visually impaired people to quickly and safely get from the starting point to their place of destination.



Structure of the guiding line

Individual tactile surface guiding lines /tactile guiding strips/ fit harmoniously into the existing architecture and break the concept in an attractive way.

VARIANTS:



PRODUCT FEATURES OF /TPU-LINE/

- Minimal impact on staff/pedestrians during installation
- Quick and easy installation using a template on all surfaces, including concrete, ceramic tiles, asphalt, wood floors and most other surfaces
- Embossed anti-slip surface, safe and non-slip
- Long-lasting product performance, impact resistant
- Low maintenance demands
- Walking possible immediately after installation, by full load after 24 hours
- They are modular and their universality allows endless configurations to adapt to new or existing surfaces and styles of design
- Tactile guiding strips can be easily cut to fit any angular combinations
- TPU-LINE has a height of 3.5 and 5 mm, which ensures that there will be never any danger on the road
- UV stable stability ensures colour stability of the product indoors and outdoors
- TPU-LINE offers the specifiers the possibility to maintain the aesthetics of the substrate without limitation of tactile performance




LUMINANCE CONTRAST

In line with international and European standards the luminance contrast between the tactile surface guiding strips and the surrounding substrate must be minimum 30%. TPU-LINE is available in a variety of colour inserts that allow specifiers to choose the most appropriate contrast values for a given installation.

COLOURS

Choose the colour of the strips

Individual tactile surface guiding strips are available in a number of standard and the most commonly used colours.



Customers can also request a custom colour (with respect to the minimum amount) in order to make the tactile strips fit into any design, style and colour scheme.

APPLICATIONS



of tactile surface guiding strips

Versatile and flexible

Enormous variability and flexibility of individual tactile surface guiding lines /tactile guiding strips/ means that they can be easily fitted into almost any construction without limitation of creative design and architecture. Whether used in new or old constructions, they work exactly the same way.


According to the law

against discrimination of the blind and visually impaired, it is required to ensure the placement of tactile surface guiding lines /tactile guiding strips/ in internal and external areas open to the public.

Tactile surface guiding lines /tactile guiding strips/

are placed in places with movement of people (such as lobbies, stations, subway, hospitals, shopping centres, squares, courtyards,...), and in all areas, which are described in your country's ordinance.

Tactile surface guiding lines /tactile guiding strips/ are installed on any surface such as:-wood, marble, granite, asphalt, concrete, tile, PVC and other materials, according to your country's ordinance.



TPU-LINE



LIST OF INDIVIDUAL TACTILE SURFACE GUIDING LINES /GUIDING STRIPS/FROM POLYURETHANE MASS

TPU/P1



TPU/P2



TPU-LINE



LIST OF INDIVIDUAL TACTILE SURFACE GUIDING LINES /GUIDING STRIPS/FROM POLYURETHANE MASS

TPU/P3



TPU/P4



TPU-LINE



LIST OF INDIVIDUAL TACTILE SURFACE GUIDING LINES /GUIDING STRIPS/FROM POLYURETHANE MASS

TPU/PH



TPU/P1

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P1	35mm	500mm	3mm	70g	without pin	polyurethane		TPU/P1-BL/35/500/3				
	35mm	500mm	3mm	70g	self-adhesive	polyurethane		TPU/P1-BL-S/35/500/3				



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P1	35mm	500mm	3mm	70g	without pin	polyurethane		TPU/P1-WH/35/500/3				
	35mm	500mm	3mm	70g	self-adhesive	polyurethane		TPU/P1-WH-S/35/500/3				

TPU/P1

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P1	35mm	500mm	3mm	70g	without pin	polyurethane		TPU/P1-GR/35/500/3				
	35mm	500mm	3mm	7 0g	self-adhesive	polyurethane		TPU/P1-GR-S/35/500/3				



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE			
TPU/P1	35mm	500mm	3mm	70g	without pin	polyurethane		TPU/P1-RE/35/500/3			
	35mm	500mm	3mm	7 0g	self-adhesive	polyurethane		TPU/P1-RE-S/35/500/3			

TPU/P1

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P1	35mm	500mm	3mm	70g	without pin	polyurethane		TPU/P1-BLU/35/500/3				
	35mm	500mm	3mm	70g	self-adhesive	polyurethane		TPU/P1-BLU-S/35/500/3				



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P1	35mm	500mm	3mm	70g	without pin	polyurethane		TPU/P1-YE/35/500/3				
	35mm	500mm	3mm	70g	self-adhesive	polyurethane		TPU/P1-YE-S/35/500/3				

TPU/P2

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P2	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/P2-BL-K/35/295/5				
	35mm	295mm	5mm	56g	without pin	polyurethane	_	TPU/P2-BL/35/295/5				
	35mm	295mm	5mm	56g	self-adhesive	polyurethane	_	TPU/P2-BL-S/35/295/5				
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P2-BL-K/35/295/3,3				
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P2-BL/35/295/3,3				
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane	_	TPU/P2-BL-S/35/295/3,3				
	16mm	295mm	3,3mm	18g	with pin	polyurethane	_	TPU/P2-BL-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane	_	TPU/P2-BL/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P2-BL-S/16/295/3,3				



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.

TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P2	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/P2-WH-K/35/295/5				
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/P2-WH/35/295/5				
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/P2-WH-S/35/295/5				
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P2-WH-K/35/295/3,3				
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P2-WH/35/295/3,3				
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/P2-WH-S/35/295/3,3				
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P2-WH-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P2-WH/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P2-WH-S/16/295/3,3				

TPU/P2

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass





Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES										
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE			
TPU/P2	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/P2-RE-K/35/295/5			
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/P2-RE/35/295/5			
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/P2-RE-S/35/295/5			
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P2-RE-K/35/295/3,3			
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P2-RE/35/295/3,3			
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/P2-RE-S/35/295/3,3			
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P2-RE-K/16/295/3,3			
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P2-RE/16/295/3,3			
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P2-RE-S/16/295/3,3			

TPU/P2

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P2	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/P2-BLU-K/35/295/5				
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/P2-BLU/35/295/5				
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/P2-BLU-S/35/295/5				
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P2-BLU-K/35/295/3,3				
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P2-BLU/35/295/3,3				
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/P2-BLU-S/35/295/3,3				
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P2-BLU-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P2-BLU/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P2-BLU-S/16/295/3,3				



TPU/P2-YE/16/295/3,3

TPU/P2-YE-S/16/295/3,3

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



without pin

self-adhesive

polyurethane

polyurethane

TPU/P3

16mm

16mm

295mm

295mm

3,3mm

3,3mm

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

18g

18g



TPU-LINE,	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES												
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE					
TPU/P3	35mm	295mm	5mm	56g	with pin	polyurethane	_	TPU/P3-BL-K/35/295/5					
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/P3-BL/35/295/5					
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/P3-BL-S/35/295/5					
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P3-BL-K/35/295/3,3					
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P3-BL/35/295/3,3					
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/P3-BL-S/35/295/3,3					
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P3-BL-K/16/295/3,3					
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P3-BL/16/295/3,3					
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P3-BL-S/16/295/3,3					



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P3	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/P3-WH-K/35/295/5				
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/P3-WH/35/295/5				
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/P3-WH-S/35/295/5				
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P3-WH-K/35/295/3,3				
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P3-WH/35/295/3,3				
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/P3-WH-S/35/295/3,3				
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P3-WH-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P3-WH/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P3-WH-S/16/295/3,3				

TPU/P3

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P3	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/P3-GR-K/35/295/5				
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/P3-GR/35/295/5				
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/P3-GR-S/35/295/5				
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P3-GR-K/35/295/3,3				
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P3-GR/35/295/3,3				
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane	_	TPU/P3-GR-S/35/295/3,3				
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P3-GR-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P3-GR/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P3-GR-S/16/295/3,3				



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE			
TPU/P3	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/P3-RE-K/35/295/5			
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/P3-RE/35/295/5			
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/P3-RE-S/35/295/5			
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P3-RE-K/35/295/3,3			
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P3-RE/35/295/3,3			
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/P3-RE-S/35/295/3,3			
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P3-RE-K/16/295/3,3			
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P3-RE/16/295/3,3			
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P3-RE-S/16/295/3,3			

TPU/P3

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P3	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/P3-BLU-K/35/295/5				
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/P3-BLU/35/295/5				
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/P3-BLU-S/35/295/5				
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P3-BLU-K/35/295/3,3				
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P3-BLU/35/295/3,3				
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/P3-BLU-S/35/295/3,3				
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P3-BLU-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P3-BLU/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P3-BLU-S/16/295/3,3				



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE			
TPU/P3	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/P3-YE-K/35/295/5			
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/P3-YE/35/295/5			
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/P3-YE-S/35/295/5			
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/P3-YE-K/35/295/3,3			
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/P3-YE/35/295/3,3			
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/P3-YE-S/35/295/3,3			
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P3-YE-K/16/295/3,3			
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P3-YE/16/295/3,3			
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P3-YE-S/16/295/3,3			

TPU/P4

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass





Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.

TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P4	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P4-WH-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P4-WH/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P4-WH-S/16/295/3,3				

TPU/P4


Individual tactile surface guiding lines /guiding strips/ from polyurethane mass





Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P4	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P4-RE-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P4-RE/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P4-RE-S/16/295/3,3				

TPU/P4

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P4	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P4-BLU-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P4-BLU/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P4-BLU-S/16/295/3,3				



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/P4	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/P4-YE-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/P4-YE/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/P4-YE-S/16/295/3,3				

TPU/PH

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/PH	35mm	295mm	5mm	56g	with pin	polyurethane	_	TPU/PH-BL-K/35/295/5				
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/PH-BL/35/295/5				
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/PH-BL-S/35/295/5				
	35mm	295mm	3,3mm	50g	with pin	polyurethane	_	TPU/PH-BL-K/35/295/3,3				
	35mm	295mm	3,3mm	50g	without pin	polyurethane	_	TPU/PH-BL/35/295/3,3				
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/PH-BL-S/35/295/3,3				
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/PH-BL-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/PH-BL/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane	_	TPU/PH-BL-S/16/295/3,3				



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.

TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE			
TPU/PH	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/PH-WH-K/35/295/5			
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/PH-WH/35/295/5			
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/PH-WH-S/35/295/5			
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/PH-WH-K/35/295/3,3			
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/PH-WH/35/295/3,3			
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/PH-WH-S/35/295/3,3			
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/PH-WH-K/16/295/3,3			
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/PH-WH/16/295/3,3			
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/PH-WH-S/16/295/3,3			

TPU/PH


Individual tactile surface guiding lines /guiding strips/ from polyurethane mass





Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/PH	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/PH-RE-K/35/295/5				
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/PH-RE/35/295/5				
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/PH-RE-S/35/295/5				
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/PH-RE-K/35/295/3,3				
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/PH-RE/35/295/3,3				
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/PH-RE-S/35/295/3,3				
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/PH-RE-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/PH-RE/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/PH-RE-S/16/295/3,3				

TPU/PH

Individual tactile surface guiding lines /guiding strips/ from polyurethane mass



TPU-LINE	TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES											
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE				
TPU/PH	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/PH-BLU-K/35/295/5				
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/PH-BLU/35/295/5				
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/PH-BLU-S/35/295/5				
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/PH-BLU-K/35/295/3,3				
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/PH-BLU/35/295/3,3				
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/PH-BLU-S/35/295/3,3				
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/PH-BLU-K/16/295/3,3				
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/PH-BLU/16/295/3,3				
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/PH-BLU-S/16/295/3,3				



Individual tactile surface guiding lines /guiding strips/ from polyurethane mass

Individual **tactile surface guiding strips** in shape of a strip /rib/ are made of polyurethane mass and ensure long lasting stable performance.

TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDING LINES								
MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPU/PH	35mm	295mm	5mm	56g	with pin	polyurethane		TPU/PH-YE-K/35/295/5
	35mm	295mm	5mm	56g	without pin	polyurethane		TPU/PH-YE/35/295/5
	35mm	295mm	5mm	56g	self-adhesive	polyurethane		TPU/PH-YE-S/35/295/5
	35mm	295mm	3,3mm	50g	with pin	polyurethane		TPU/PH-YE-K/35/295/3,3
	35mm	295mm	3,3mm	50g	without pin	polyurethane		TPU/PH-YE/35/295/3,3
	35mm	295mm	3,3mm	50g	self-adhesive	polyurethane		TPU/PH-YE-S/35/295/3,3
	16mm	295mm	3,3mm	18g	with pin	polyurethane		TPU/PH-YE-K/16/295/3,3
	16mm	295mm	3,3mm	18g	without pin	polyurethane		TPU/PH-YE/16/295/3,3
	16mm	295mm	3,3mm	18g	self-adhesive	polyurethane		TPU/PH-YE-S/16/295/3,3

WWW OI FJARTACTII F COM

TECHNICAL PARAMETERS




They are designed to meet international and European standards.

/Individual surface guiding lines are produced with the following dimensions/:

ISO 23599

Individual tactile surface guiding lines /guiding strips/ from polyurethane with pin

- 1. TPU/P2-K/35/5; TPU/P3-K/35/5; TPU/PH-K/35/5
- 2. TPU/P2-K/25/3,3; TPU/P3-K/25/3,3; TPU/PH-K/25/3,3




MATERIAL: polyurethane

INSTALLATION: drilling/sticking

Individual tactile surface guiding lines /guiding strips/ from polyurethane without pin

- 1. TPU/P2/35/5; TPU/P3/35/5; TPU/PH/35/5 TPU/P2-S/35/5; TPU/P3-S/35/5; TPU/PH-S/35/5
- 2. TPU/P2/25/3,3; TPU/P3/25/3,3; TPU/PH/25/3,3 TPU/P2-S/25/3,3; TPU/P3-S/25/3,3; TPU/PH-S/25/3,3



MATERIAL: polyurethane

INSTALLATION: sticking

TECHNICAL PARAMETERS




They are designed to meet international and European standards.

/Individual surface guiding lines are produced with the following dimensions/:

ISO 23599

Individual tactile surface guiding lines /guiding strips/ from polyurethane with pin

1. TPU/P2-K/16/3,3; TPU/P3-K/16/3,3; TPU/P4-K/16/3,3; TPU/PH-K/16/3,3




MATERIAL: polyurethane

INSTALLATION: drilling/sticking

Individual tactile surface guiding lines /guiding strips/ from polyurethane without pin

1. TPU/P2/16/3,3; TPU/P3/16/3,3; TPU/P4/16/3,3; TPU/PH/16/3,3 TPU/P2-S/16/3,3; TPU/P3-S/16/3,3 TPU/P4-S/16/3,3; TPU/PH-S/16/3,3



MATERIAL: polyurethane INSTALLATION: sticking

SAMPLE IMPLEMENTATIONS



TPU-LINE

IMPLEMENTATION - Unicredit Bank /Austria/







IMPLEMENTATION - Unicredit Bank /Austria/





IMPLEMENTATION - Unicredit Bank /Austria/









OLEJÁR, spol. s.r.o.

086 36, Nižná Polianka 65, Slovakia Tel.: +421 905 560 158

E-mail: info@olejartactile.com

www.olejartactile.com