



TPUP-LINE

SURFACE TACTILE GUIDING PLATES

TPUP - LINE

Surface tactile guiding plates from polyurethane mass

Product description

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are made from a blend of highly durable polyurethanes. They are characterized by good ability to decelerate flame spread, by their sturdiness and by weather, ozone, sunshine, oxide, alcohol, alkali and acid resistance. It also shows a very good color stability.

The tactile guiding plates are produced in two variations:

- no adhesive
- sticky

The system proved to be adequate in banks, universities, flights of stairs, entrance areas, etc.



PURPOSE OF USE



TPUP-LINE

Tactile surface guiding plates with a design of longitudinal projections in shape of ribs in a colour contrasting with the colour of the surrounding surface and functional arrangement of the longitudinal strips /ribs/ on the ground provide directional guidance.


Tactile surface guiding plates allow you to build guidance on the ground that is recognizable by feet and white cane and can be also detected visually.

Tactile surface guiding plates help blind and visually impaired people to find their way with help of a longitudinal design. Tactile surface guiding plates enable blind and visually impaired people to quickly and safely get from the starting point to their place of destination.

Structure of the guiding plates


Individual **tactile surface guiding plates** fit harmoniously into the existing architecture and break the concept in an attractive way.

VARIANTS:



PRODUCT FEATURES OF /TPUP-LINE/

- Minimal impact on staff /pedestrians during installation
- Quick and easy installation using a template on all surfaces, including concrete, ceramic tiles, asphalt, wood floors and most other surfaces
- Embossed anti-slip surface, safe and non-slip
- Long-lasting product performance, impact resistant
- Low maintenance demands
- Walking possible immediately after installation, by full load after 24 hours
- They are modular and their universality allows endless configurations to adapt to new or existing surfaces and styles of design
- Tactile guiding plates can be easily cut to fit any angular combinations
- UV stable - stability ensures colour stability of the product indoors and outdoors
- TPUP-LINE offers the specifiers the possibility to maintain the aesthetics of the substrate without limitation of tactile performance




LUMINANCE CONTRAST

In line with international and European standards the luminance contrast between the tactile surface guiding plates and the surrounding substrate must be minimum 30%. TPU-LINE is available in a variety of colour inserts that allow specifiers to choose the most appropriate contrast values for a given installation.

COLOURS

Choose the colour of the plates

Tactile surface guiding plates are available in a number of standard and the most commonly used colours.



Customers can also request a custom colour (with respect to the minimum amount) in order to make the tactile plates fit into any design, style and colour scheme.

of tactile surface guiding plates

Versatile and flexible


Enormous variability and flexibility of individual tactile surface guiding plates means that they can be easily fitted into almost any construction without limitation of creative design and architecture. Whether used in new or old constructions, they work exactly the same way.

According to the law

against discrimination of the blind and visually impaired, it is required to ensure the placement of tactile surface guiding plates in internal and external areas open to the public.

Tactile surface guiding plates are placed in places with movement of people (such as lobbies, stations, subway, hospitals, shopping centres, squares, courtyards,...), and in all areas, which are described in your country's ordinance.

Tactile surface guiding plates are installed on any surface such as: wood, marble, granite, asphalt, concrete, tile, PVC and other materials, according to your country's ordinance.



LIST OF SURFACE TACTILE GUIDING PLATES FROM POLYURETHANE

TPUP/P1



TPUP/P1



TPUP/P1



TPUP/P1



TPUP/P1



TPUP/P1



TPUP/P1



TPUP/P1



TPUP/P1



TPUP/P1




TPUP/P1

LIST OF SURFACE TACTILE GUIDING PLATES FROM POLYURETHANE

TPUP/P2



TPUP/P2



TPUP/P2



TPUP/P2



TPUP/P2




TPUP/P2



TPUP/P2



TPUP/P2



TPUP/P2




TPUP/P2




TPUP/P2

LIST OF SURFACE TACTILE GUIDING PLATES FROM POLYURETHANE

TPUP/P3



TPUP/P3




TPUP/P3



TPUP/P3




TPUP/P3



TPUP/P3



TPUP/P3



TPUP/P3



TPUP/P3



TPUP/P3



TPUP/P3

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-WH/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-WH-S/150/450

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-BL/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-BL-S/150/450

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-GR/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-GR-S/150/450

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-RE/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-RE-S/150/450

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-BLU/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-BLU-S/150/450

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-YE/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-YE-S/150/450

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-RG/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-RG-S/150/450

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-R0/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-R0-S/150/450

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-SI/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-SI-S/150/450

TPUP/P1



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P1	150mm	450mm	5mm	245g	no adhesive	polyurethane		TPUP/P1-GO/150/450
	150mm	450mm	5mm	245g	sticky	polyurethane		TPUP/P1-GO-S/150/450

TPUP/P2



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-WH/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-WH-S/300/300

TPUP/P2



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-BL/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-BL-S/300/300

TPUP/P2



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-GR/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-GR-S/300/300

TPUP/P2



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-RE/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-RE-S/300/300

TPUP/P2



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-BLU/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-BLU-S/300/300

TPUP/P2



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-YE/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-YE-S/300/300

TPUP/P2



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-RG/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-RG-S/300/300

TPUP/P2



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-RO/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-RO-S/300/300

TPUP/P2



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-SI/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-SI-S/300/300

TPUP/P2




Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P2	300mm	300mm	5mm	290g	no adhesive	polyurethane		TPUP/P2-GO/300/300
	300mm	300mm	5mm	290g	sticky	polyurethane		TPUP/P2-GO-S/300/300

TPUP/P3



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-WH/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-WH-S/385/415

TPUP/P3



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-BL/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-BL-S/385/415

TPUP/P3



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-GR/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-GR-S/385/415

TPUP/P3



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-RE/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-RE-S/385/415

TPUP/P3



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-BLU/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-BLU-S/385/415

TPUP/P3



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-YE/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-YE-S/385/415



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-RG/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-RG-S/385/415



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-GO/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-GO-S/385/415

TPUP/P3




Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-SI/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-SI-S/385/415

TPUP/P3



Surface tactile guiding plates from polyurethane mass

Surface tactile guiding plates (guiding strips) with a longitudinal rib embossment are a blend of highly durable polyurethanes, which provide an excellent long-lasting utility.

TPUP-LINE / TACTILE SURFACE GUIDING PLATES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL	COLOUR	PRODUCT CODE
TPUP/P3	385mm	415mm	7mm	580g	no adhesive	polyurethane		TPUP/P3-GO/385/415
	385mm	415mm	7mm	580g	sticky	polyurethane		TPUP/P3-GO-S/385/415

TECHNICAL PARAMETERS




They are designed to meet international and European standards.

/Surface tactile guiding plates are produced in following sizes/:

ISO 23599

TPUP-P1

Surface tactile guiding plates from polyurethane mass



TECHNICAL PARAMETERS



They are designed to meet international and European standards.

/Surface tactile guiding plates are produced in following sizes/:

ISO 23599

TPUP-P2

Surface tactile guiding plates from polyurethane mass







/Surface tactile guiding plates are produced in following sizes/:

ISO 23599

TPUP-P3

Surface tactile guiding plates from polyurethane mass





OLEJÁR, spol. s.r.o.

086 36, Nižná Polianka 65, Slovakia

Tel.: +421 905 560 158

E-mail: info@olejartactile.com

www.olejartactile.com

